YULIDA @ 2026

Shenzhen Yulida Technology Co., Ltd.

深圳市煜利达科技有限公司

Unite Hearts, Empower the Future | Dedicated to Perfecting Every Charge

VISION PURPOSE FUTURE



AJ48 Digital Display with Built-in Cable 10000mAh

Battery Capacity: 10000mAh / 3.85V
USB-C Input: 5V/3A 9V/2A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
USB-C Cable Input: 5V/3A 9V/2A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
USB-A Output: 5V/3A 9V/2A 12V/1.5A 10V/2.25A
Size: 141 x 72 x 17.6 mm

Battery Cell: 1260110*1 PC



Domestic Full Wrap Film

AJ45 AC Plug with Dual Cables 20000mAh PD 20W

Battery Capacity: 20000mAh / 3.85V
USB-C Input: 5V/3A 9V/2A 12V/1.67A
USB-C Output: 5V/3A 9V/1.67A PD 20W
AC Input: 220-240V/50Hz
Lightning Cable Output: 5V/3A 9V/2.22A 12V/1.67A
USB-C Cable Output: 5V/3A 9V/2.22A 12V/1.67A
Size: 107.5 x 58.6 x 48.3 mm

Battery Cell: 21700*4 PCS



AJ24 Built-in Cable with AC Plug 5000mAh

Battery Capacity: 5000mAh / 19.25Wh / 3.85V
USB-C Input: 5V/3A
USB-C Output: 5V/3A
USB-C Cable Output: 5V/3A
Size: 98.2 x 63.5 x 22 mm

Battery Cell: 115252*1 PC



AJ39 Magnetic Wireless 5000mAh/10000mAh

Battery Capacity: 5000mAh / 4.35V | 10000mAh / 4.35V
USB-C Input: 5V/2A 9V/2A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A (20W Max)
Wireless Output: 5W / 7.5W / 10W / 15W
Size: 104.7 x 67.7 x 10.1mm / 105 x 68 x 15.1mm

Battery Cell:
5000mAh 706280*1 PC
10000mAh 126280*1 PC



电芯:
5000mAh 546280*1 PC
10000mAh 126280*1 PC

AJ46 Wireless Magnetic Metal Frame 5000mAh/10000mAh

Battery Capacity: 5000mAh/38.5Wh | 10000mAh/38.5Wh
USB-C Input: 5V/3A 9V/2A
USB-C Output: 5V/3A 9V/2.22A
Wireless Output: 5W, 7.5W, 10W, 15W
Size: 102 x 70.6 x 8.7 mm | 102 x 70.6 x 15.3 mm



Battery Cell: 105555*2 PCS

AJ02 AC Plug TFT Display 10000mAh 35W

Battery Capacity: 10000mAh / 3.85V
USB-C Input: 5V/2A 9V/3A 12V/2.9A 15V/2.35A 20V/1.75A
USB-C Output: 5V/2A 9V/3A 12V/2.9A 15V/2.35A 20V/1.75A
USB-C Cable Input: 5V/2A 9V/3A 12V/2.9A 15V/2.35A 20V/1.75A
USB-C Cable Output: 5V/2A 9V/3A 12V/2.9A 15V/2.35A 20V/1.75A
USB-A Output: 5V/3A 9V/2A 12V/1.5A 10V/2.25A
AC Charging Mode (Pass-through Charging):
Input: 110-240v~50/60Hz 0.3A(MAX) USB-A Output: 5V/2A
USB-C/USB-C Cable Output: 5V/2A Total Output: 5V/2A
Size: 121 x 52.5 x 38 mm





Battery Cell:
5000mAh 546280*1 PC
10000mAh 126280*1 PC

AJ01 Wireless Fast Charging 5000mAh/10000mAh 20W

Battery Capacity: 5000mAh / 10000mAh
USB-C Input: 5V/3A 9V/1.6A
USB-C Output: 5V/3A 9V/2.22A
Wireless Output: 3W, 5W, 7.5W, 15W
Size: 103 x 68 x 9.2 mm / 103 x 68 x 14.6 mm





Battery Cell:
5000mAh 546280*1 PC
10000mAh 126280*1 PC

AJ03 Wireless Fast Charging 5000mAh/10000mAh 20W

Battery Capacity: 5000mAh / 10000mAh
USB-C Input: 5V/3A 9V2A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
Wireless Output: 3W, 5W, 7.5W, 15W
Size: 102.2 x 69.2 x 10 mm / 102.2 x 69.2 x 15.8 mm

100W



AJ25 Retractable Cable with TFT Display 20000mAh 100W

Battery Capacity: 20000mAh 74Wh
USB-C Input: 5V/2A 9V/3A 12V/3A 15V/3A 20V/3.25A
USB-C Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A
USB-C Cable Input: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A
USB-C Cable Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A
USB-A Output: 5V/3A 9V/2A 12V/1.5A 10V/2.5A
Size: 136 x 20.5 x 48 mm

Battery Cell: 21700*4*1 PCS



AJ04 5000mAh 20W Mini Fast Wireless Charger

Battery Capacity: 5000mAh / 3.85V
USB-C Input: 5V/2A 9V/2A 12V/1.5A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
Wireless Output: 15W
Size: 70 x 65 x 16 mm

Battery Cell: 105555*1



AJ05 Wireless Fast Charging 5000mAh/10000mAh 20W

Battery Capacity: 5000mAh / 10000mAh
USB-C Input: 5V/3A 9V/2A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
Wireless Output: 5W, 7.5W, 10W, 15W
Size: 105 x 69 x 11 mm / 105 x 69 x 17 mm

Battery Cell:
5000mAh 546280*1 PC
10000mAh 126280*1 PC



AJ06 Wireless Fast Charging 5000mAh/10000mAh 20W

Battery Capacity: 5000mAh / 10000mAh
USB-C Input: 5V/3A 9V/2A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
Wireless Output: 5W, 7.5W, 10W, 15W
Size: 105 x 69 x 10 mm / 105 x 69 x 16 mm

Battery Cell:
5000mAh 546280*1 PC
10000mAh 126280*1 PC



Battery Cell: 706074*1 PC

AJ27 Ultra-thin Multi-port Fast Charging 5000mAh

Battery Capacity: 5000mAh / 19.25Wh
USB-C 1/2 Input: 5V/3A 9V/2A 12V/1.5A
USB-C 1/2 Output: 5V/3A 9V/2.22A 12V/1.67A
USB-A Output: 5V/3A 9V/2A 10V/2.25A 12V/1.5A
Size: 99.5 x 67 x 10.1 mm



Battery Cell: 126280*1 PC

AJ40 Wireless Fast Charging Metal Case 10000mAh 20W

Battery Capacity: 10000mAh / 3.85V
USB-C Input: 5V/2A 9V/2A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
Wireless Output: 5W, 7.5W, 10W, 15W
Size: 103.5 x 66 x 14.2 mm



Battery Cell:
5000mAh 546280*1 PC
10000mAh 126280*1 PC

CX01/CX02 Wireless Charging Metal Case 10000mAh 20W

Battery Capacity: 5000mAh / 19.25Wh | 10000mAh / 38.5Wh
USB-C Input: 5V/2A 9V/2A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67
Wireless Output: 5W, 7.5W, 10W, 15W
Size: 104 x 66.6 x 8.6 mm / 104x 66.6 x 16.3 mm



Battery Cell: 124861*1 PC

AJ18 Outdoor Bright Light 5000mAh

Battery Capacity: 5000mAh / 3.85V
USB-C Input: 5V/2A 9V/2A 12V/1.5A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
USB-C Cable Input: 5V/2A 9V/2A 12V/1.5A
USB-C Cable Output: 5V/3A 9V/2.22A 12V/1.67A
Lightning Cable Output: 5V/2A
Lighting Lamp Output: 2W, 2.5W, 3.3W
Selectable: 5W Wireless Output / 5V Solar Input
Size: 89.4 x 65.7 x 21.8 mm



Battery Cell: 546280*1 PC

AJ16 5000mAh 20W Wireless Fast Charging

Battery Capacity: 5000mAh / 3.85V
USB-C Input: 5V/2A 9V/2A
USB-C Output: 5V/3A 9V/2.22A
Wireless Output: 5W, 7.5W, 15W
Size: 103 x 68 x 7.5 mm



Battery Cell: 263376*1 PC

AJ26 Built-in Cable Lanyard 10000mAh

Battery Capacity: 10000mAh
USB-C Input: 5V/2.8A 9V/2A 12V/1.5A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
USB-A Output: 5V/3A 9V/2A 10V/2.25A 12V/1.5A
Size: 97.5 x 40.1 x 31 mm



Battery Cell: 146575*1 PC

AJ43 3-in-1 Stand Wireless Charger 10000mAh 20W

Battery Capacity: 10000mAh / 3.85V
USB-C Input: 5V/3A 9V/2A 12V/1.5A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A
USB-C Cable Input: 5V/3A 9V/2A 12V/1.5A
USB-C Cable Output: 5V/3A 9V/2.22A 12V/1.5A 10V/2.25A
Wireless Output: 5W/7.5W/10W/15W
Size: 106.3 x 64.5 x 20.5 mm



Battery Cell:
5000mAh 11570*1 PC
10000mAh 11570*2 PCS

AJ44 Built-in Cable Lanyard 5000mAh/10000mAh

Battery Capacity: 5000mAh / 10000mAh
USB-C Input: 5V/2.5A 9V/2A 12V/1.5A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
USB-A Output: 5V/3A 9V/2A 12V/1.5A 10A/2.25A
USB-C Cable Output: 5V/3A 9V/2.22A 12V/1.67A
Total Output: 22.5W Max
Size: 101.6 x 63.5 x 14.5 mm / 101.6 x 63.5 x 26.5 mm



Battery Cell: 263376*1 PC

J25 Built-in Cable Lanyard 10000mAh PD20W

Battery Capacity: 10000mAh
USB-C Port: IN/OUT PD 20W
IN/OUT Range: 5V/3A 9V/2.22A 12V/1.67A
USB-C Male Tail Plug: IN/OUT PD 20W
IN/OUT Range: 5V/3A 9V/2.22A 12V/1.67A
Cable (Optional USB-C / Lightning): OUT PD 20W
Output range: 5V/3A 9V/2.22A 12V/1.67A
Watch Wireless Output: 2.5W
Size: 88 x 49 x 33 mm



Battery Cell: 21700*2 PCS

J217 Built-in Cable Lanyard 10000mAh 22.5W

Battery Capacity: 10000mAh | Battery Cell: 21700*2 PCS
USB-C Input: 5V/3A 9V/3A 12V/2.9A 15V/2.3A 20V/1.75A
USB-C Output: 5V/3A 9V/3A 12V/2.9A 15V/2.3A 20V/1.75A
USB-C Cabl Input: 5V/3A 9V/3A 12V/2.9A 15V/2.3A 20V/1.75A
USB-C Cabl Output: 5V/3A 9V/3A 12V/2.9A 15V/2.3A 20V/1.75A
USB-A Output: 5V/3A 9V/2A 12V/1.67A 10V/2.25A
Lightning Cable Output: 5V/2A
Size: 105 x 53 x 23.5 mm



Battery Cell: 21700*4 PCS

J237 Built-in Cable Lanyard 20000mAh 22.5W

Battery Capacity: 20000mAh | Battery Cell: 21700*4 PCS
USB-C Input: 5V/3A 9V/3A 12V/3A 15V3A 20V/3A
USB-C Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A
USB-C Cabl Input: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A
USB-C Cabl Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3A
USB-A Output: 5V/3A 9V/2A 12V/1.67A 10V/2.25A
Size: 105 x 53 x 50 mm



Battery Cell: 21700*2 PCS

AJ10 Built-in Cable Lanyard 10000mAh

Battery Capacity: 10000mAh
USB-C Input: 5V/3A 9V/2A 12V/1.5A
USB-C Output: 5V/3A 9V/2A 12V/1.67A
Lightning Cable Output: 5V/2.4A
Wireless Charge for Watch: 3W
USB-C Cable Output: 5V/3A 9V/2A 12V/1.67A 10V/2.25A
Size: 93 x 50 x 32 mm



Battery Cell: 21700*2 PCS

J701 Built-in Cable Lanyard 10000mAh 22.5W

Battery Capacity: 10000mAh
USB-C Input: 5V/3A 9V/2A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
USB-C Cabl Input: 5V/3A 9V/2A 12V/1.67A
USB-C Cabl Output: 5V/3A 9V/2A 12V/1.67A
USB-A Output: 5V/3A 9V/2A 12V/1.67A 10V/2.25A
Size: 83 x 52 x 40 mm

65W



Battery Cell: 21700*3 PCS

J701K Built-in Cable Lanyard 15000mAh 65W

Battery Capacity: 15000mAh
USB-C Input: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A
USB-C Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A
USB-C Cable Input: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A
USB-C Cable Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A
USB-A Output: 5V/3A 9V/2A 12V/1.5A 10V/2.25A
Size: 108 x 73.5 x 26.8 mm

100W



Battery Cell: 21700*4 PCS

J721 Built-in Cable Lanyard 20000mAh 100W

Battery Capacity: 20000mAh
USB-C Input: 5V/3A 9V/3A 12V/3A 15V3A 20V/3.25A
USB-C Output: 5V/3A 9V/3A 12V/3A 15V3A 20V/5A
USB-C Cable Input: 5V/3A 9V/3A 12V/3A 15V3A 20V/3.25A
USB-C Cable Output: 5V/3A 9V/3A 12V/3A 15V3A 20V/5A
USB-A Output: 5V/3A 9V/2A 12V/1.5A 10V/2.25A
Size: 153.7 x 73.5 x 26.8 mm

100W



Battery Cell: 21700*4 PCS

J730 Built-in Cable Lanyard 20000mAh 100W

Battery Capacity: 20000mAh
USB-C Input: 5V/3A 9V/3A 12V/3A 15V3A 20V/3.25A
USB-C Output: 5V/3A 9V/3A 12V/3A 15V3A 20V/5A
USB-C Cable Input: 5V/3A 9V/3A 12V/3A 15V3A 20V/3.25A
USB-C Cable Output: 5V/3A 9V/3A 12V/3A 15V3A 20V/5A
USB-A Output: 5V/3A 9V/2A 12V/1.5A 10V/2.25A
Size: 153.7 x 73.5 x 26.8 mm



Battery Cell: 546280*1 PC

J216 Magnetic Wireless with Built-in Cable for iPhone Duo 50000mAh

Battery Capacity: 5000mAh
USB-C Input: 5V/3A 9V/2A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
Wireless Output: 5W/7.5W/10W/15W
Maximum Power: 20W
Size: 71.5 x 87 x 9.5 mm



Battery Cell:
10000mAh 126280*1 PC
20000mAh 126280*2 PCS

J132 Digital Display with Built-in Lanyard 10000mAh/20000mAh

Battery Capacity: 10000mAh / 20000mAh
USB-C Input/Output: 5V/3A 9V/3A 12V/3A 15V/3A
USB-A Output: 5V/3A 9V/2A 12V/1.5A 10V/2.25A
Lightning Cable Output: 5V/3A 9V/2.22A 12V/1.67A
Type-C Cable Output: 5V/3A 9V/2.22A 12V/1.67A
Size: 128.5 x 71.6 x 19 mm / 128.5 x 71.6 x 31 mm



Battery Cell:
10000mAh 126280*1 PC
20000mAh 126280*2 PCS

J133 Digital Display with Built-in Lanyard 10000mAh/20000mAh

Battery Capacity: 10000mAh / 20000mAh
USB-C Input/Output: 5V/3A 9V/3A 12V/3A 15V/3A
USB-A Output: 5V/3A 9V/2A 12V/1.5A 10V/2.25A
Lightning Cable Output: 5V/3A 9V/2.22A 12V/1.67A
Type-C Cable Output: 5V/3A 9V/2.22A 12V/1.67A
Size: 128.5 x 71.6 x 19 mm / 128.5 x 71.6 x 31 mm



Battery Cell: 104050*1 PC

J157 Mini Power Bank with Built-in Cable 2500mAh

Battery Capacity: 2500mAh
USB-C Input: 5V/2.1A
USB-C Output: 5V/2.1A
Lightning Cable Output: 5V/2.4A
Type-C Cable Output: 5V/2.4A
Size: 58 x 58 x 15.2 mm



Battery Cell: 134652*2 PCS

J143 Dual Built-in Cable Lanyard 10000mAh 22.5W

Battery Capacity: 10000mAh
USB-C Input: 5V/3A 9V/2A 12V/1.5A
USB-C Output: 5V/3A 9V/2.2A 12V/1.65A 10V/2.25A
USB-C Cable Input: 5V/3A 9V/2A 12V/1.5A
USB-C Cable Output: 5V/3A 9V/2.2A 12V/1.65A 10V/2.25A
Lightning Cable Output: 5V/2.4A
Size: 72.5 x 57.5 x 30 mm



Battery Cell: 145675*2 PCS

J144 Dual Built-in Cable Lanyard 20000mAh 45W

Battery Capacity: 20000mAh
USB-C Input: 5V/3A 9V/2A 12V/1.5A
USB-C Output: 5V/3A 9V/2.2A 12V/1.65A 10V/2.25A
Type-C Cable Input: 5V/3A 9V/2A 12V/1.5A
Type-C Cable Output: 5V/3A 9V/2.2A 12V/1.65A 10V/2.25A
Lightning Cable Output: 5V/2.4A
Size: 98.5 x 665 x 32.5 mm



Battery Cell:
10000mAh 1260110*1
20000mAh 1260110*2 PCS
30000mAh 1260110*3 PCS

J37 Built-in Cable Lanyard 10000mAh PD20W 20000mAh PD20W 30000mAh PD20W

Battery Capacity: 10000mAh / 2000mAh / 30000mAh
USB-C Port: IN/OUT PD 20W
USB-A Output: 22.5W
USB-C Cable Output: PD 20W
Lightning Cable Output: 22.5W
Size: 139 x 72 x 15 mm / 144 x 72 x 27 mm / 144 x 72 x 40 mm



Battery Cell:
10000mAh 1260110*1 PC
20000mAh 1260110*2 PCS

J151 Outdoor Solar 10000mAh/20000mAh

Battery Capacity: 10000mAh / 20000mAh
USB-C Input: 5V/3A 9V/2A 12V/1.5A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
Micro Output: 5V/2A 9V/2A 12V/1.67A
USB-C Cable Output: 5V/3A 9V/2.22A 12V/1.67A
USB-A1 Output: 5V/3A 9V/2A 12V/1.5A 10V.2.25A
USB-A2 Output: 5V/2A
Lightning Cable Output: 5V/2A USB-A Cable Output: 5V/2A
Micro Cable Output: 5V/2A Solar Input: 5V
Size: 148 x 69 x 21.5 mm / 148 x 69 x 33.5 mm



Battery Cell:
10000mAh 1260110*1 PC
20000mAh 1260110*2 PCS
20000mAh 1260110*3 PCS

AJ14 Multi-Port Built-in Cable 10000mAh 3.85V 20000mAh 3.85V 30000mAh 3.85V

Battery Capacity: 10000mAh / 20000mAh / 30000mAh
USB-C1 Input: 5V/3A 9V/2A 12V/1.5A | USB-C2 Input: 5V/2A
USB-C1 Output: 5V/3A 9V/2A 12V/1.67A
USB-C Cable Output: 5V/3A 9V/2A 12V/1.67A
Lightning Cable Output: 5V/2A
USB-A Cable Output: 5V/3A 9V/2A 12V/1.5A 10V/2.25A
Size: 142 x 68 x 18 mm / 142 x 68 x 30 mm / 142 x 68 x 42 mm



Battery Cell:
10000mAh 1260110*1 PC
20000mAh 1260110*2 PCS
20000mAh 1260110*3 PCS

AJ15 Multi-Port Built-in Cable 10000mAh PD 20W 20000mAh PD 20W 30000mAh PD 20W

Battery Capacity: 10000mAh / 20000mAh / 30000mAh
USB-C1 Input: 5V/3A 9V/2A 12V/1.5A | USB-C2 Input: 5V/2A
USB-C1 Output: 5V/3A 9V/2A 12V/1.67A
USB-A Output: 5V/3A 9V/2A 12V/1.5A 10V/2.25A
Size: 142 x 68 x 18 mm / 142 x 68 x 30 mm / 142 x 68 x 42 mm



Battery Cell:
10000mAh 1260110*1 PC
20000mAh 1260110*2 PCS

J05/J06 10000mAh/20000mAh High Capacity Multi-Port

Battery Capacity: 10000mAh / 20000mAh
USB-C1 Input: 5V/2A
USB-C2 Input: 5V/2A
USB-A Output: 5V/2A
Size: 142 x 68.1 x 16 mm / 148.2 x 68.1 x 16



Battery Cell: 105555*2 PCS

J09 Retractable AC Plug Cable 10000mAh PD20W/22.5W

Battery Capacity: 10000mAh
AC Input: 110-240v~50 /60Hz 0.5A(MAX)
USB-C Input: 5V/3A 9V/2A 12V/1.5A 15V/2A 20V/1.75A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A
USB-A Output: 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A
USB-C Cable Output: 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A
Size: 127 x 68 x 27 mm



Battery Cell:
10000mAh 1260110*1 PC
20000mAh 1260110*2 PC

J20/J21 10000mAh/20000mAh Multi-Port Built-in Cable

Battery Capacity: 10000mAh / 20000mAh
USB-C1 Input: 5V/2A 9V/2A 12V/1.5A
USB-C2 Input: 5V/2.5A 9V/2A 12V/1.5A
USB-C2 Output: 5V/2A 5V/3A 9V/2.22A 12V/1.67A
USB-A Output: 5V/2A 5V/3A 9V/2A 12V/1.5A 10V/2.25A
USB-C Cable Output: 5V/3A 9V/2A 12V/1.5A
Lightning Cable Output: 5V/2.4A
Size: 148.2 x 68.1 x 19.7 mm / 148.2 x 68.1 x 31.7 mm



Battery Cell:
20000mAh 1260110*2 PCS
24000mAh 7565121*3 PCS

J2101 20000mAh/24000mAh Folding Solar Panel

Battery Capacity: 20000mAh / 24000mAh
USB-C1/C2 Input: 5V/3A USB-C1/C2 Output: 5V/3A
USB-A Output: 5V/3A USB-C Cable Output: 5V/3A
USB-A Cable Input: 5V/2A
Micro Cable Output: 5V/3A
Lightning Cable Output: 5V/2.4A
With NTC Temperature Control



Battery Cell: 1260110*1 PC

J2201 Hand-crank Solar 10000mAh

Battery Capacity: 10000mAh
USB-C Input: 5V/3A USB-C Output: 5V/3A
USB-A Output: 5V/3A
Mircro-USB Input: 5V/2A
USB-A Cable Output: 5V/3A USB-C Cable Output: 5V/3A
Micro Cable Output: 5V/3A Lightning Cable Output: 5V/2.4A
Hand-crank Generator Motor: At 300 RPM, approx. 450mAh per hour
Solar Input: 5V
Size: 142 x 68.1 x 16 mm / 148.2 x 68.1 x 16



Battery Cell: 1260110*3 PCS

J803 30000mAh Outdoor Power Bank with Light

Battery Capacity: 30000mAh / 3.85V
USB-C1 Input: 5V/2A 9V/2A 12V/1.5A
USB-C2 Input: 5V/3A 9V/2A 12V/1.5A
USB-C2 Output: 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A
USB-A1 Output: 5V/3A 9V/2A 12V/1.5A 10V/2.25A
USB-A2 Output: 5V/3A USB-A Cable Output: 5V/2A
USB-C Cable Output: 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A
Micro Cable Output: 5V/2A Lightning Cable Output: 5V/2.4A
Size: 139.5 x 69 x 46 mm